



SAE 100 R8

BINATO



Sottostrato: Elastomero poliестere.
Rinforzo: 1/2 trecce in fibra aramidica.
Copertura: Poliuretano, arancione, microforato, marcatura ink-jet nera.








Temperatura di esercizio: -40° +100° / 70° per aria e fluidi a base acquosa

TWIN



Inner tube: Polyester elastomer.
Reinforcement: 1/2 braids of aramidic fiber.
Cover: Polyurethane, orange, pinpricked, black ink-jet branding.

Temperature range: -40° +100° / 70° for air and water based fluids

Diametro nominale Nominal Bore	Diametro interno Inside diameter		Diametro esterno Over cover diameter	Pressione di esercizio Working pressure		Pressione di scoppio Burst pressure		Raggio minimo di curvatura Minimum bend radius	Allungamento Elongation	Peso unitario Unit weight
										
mm	mm	inch	mm	bar	psi	bar	psi	mm		Kg/mt
4	4	1/8"	8,0	420	6000	1680	24000	25	±1,5%	0,09
5	5	3/16"	8,9	350	5000	1400	20000	30	±1,5%	0,10
6,50	6,50	1/4"	11,5	350	5000	1400	20000	50	±1,5%	0,17
8,10	8,10	5/16"	13,4	300	4300	1200	17200	55	±1,5%	0,21
9,70	9,70	3/8"	15,5	280	4000	1120	16000	60	±1,5%	0,27
13	13	1/2"	19,9	245	3500	980	14000	80	±1,5%	0,40
16,30	16,30	5/8"	23,4	200	2900	800	11600	125	±1,5%	0,50
19,50	19,50	3/4"	26,9	165	2300	660	9200	150	±1,5%	0,64
25,90	25,90	1"	34,2	140	2000	560	8000	200	±1,5%	0,87



APPLICAZIONE:

Impianti oleodinamici a contatto con alta tensione, attrezzature di soccorso, piattaforme aeree, gru, attrezzature che richiedono un elevato isolamento elettrico.



APPLICATION:

High voltage equipment, safety and rescue equipment, aerial platform, cranes, equipment requiring electrical high insulation.

NOTE:


Rivestimenti disponibili:
 A- Calza acciaio zincato / acciaio inox
 B- Calza fibra di vetro siliconata
 C- Calza fibra di vetro
 D- Calza in tessuto protettiva

NOTE:


Available coverings:
 A- Galvanized and stainless steel braids
 B- Fiber glass braid + red silicone
 C- Fiber glass braid
 D- Textile protective braid



A



B



C



D